Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ll	138	decision adj graph	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L2	4087	decision adj tree	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L3	2299	(L1 L2) and rule	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L4	902	L3 and @ad<="20001130"	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L5	. 327	L4 and (feedback recommendation)	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L6	300	L5 and user	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L7	173	L6 and node	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L8	138	L7 and (link edge)	US-PGPUB; USPAT	OR	ON ·	2005/07/24 14:48
L9	51	L8 and travers\$4	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L10	185	L4 and reasoning	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L11	47	L10 and travers\$4	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L12	5522	knowledge adj base	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L13	18	L11 and L12	US-PGPUB; USPAT	OR ·	ON	2005/07/24 14:48
L14	2378	705/26.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L15	674	705/27.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L16	843	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L17	32	("6460036").URPN.	USPAT	OR	ON	2005/07/24 14:48
L18	27	("4706080" "5038211" "5223924" "5245656" "5301109" "5321833" "5323240" "5331554" "5331556" "5410344" "5444499" "5534911" "5617565" "5649186" "5689648" "5717923" "5724521" "5740549" "5761662" "5768521" "5805156" "5812776" "5848396" "5933811" "5945988" "5991735" "6088722").PN.	US-PGPUB; USPAT; USOCR	OR .	ON	2005/07/24 14:48
L19	729	707/5.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L20	171	706/46.ccor.	US-PGPUB; USPAT	OR	ON .	2005/07/24 14:48
L21	179	706/47.ccor.	US-PGPUB; USPAT	OR	ON	2005/07/24 14:48
L22	41	("20010039493" "20010047270" "20010047355" "20010049688" "20020004764" "20020010709" "20020049705" "20020049707" "20020072970" "20020128943" "20030130973" "4866634" "5175800" "5295230" "5406477" "5519633" "5546321" "5628011" "5644686" "5696885" "5720007" "5806056" "5809493" "5822745" "5870768" "5878406" "5899985" "5930154" "5995955" "6035283" "6182068" "6243396" "6275817" "6278987" "6289513" "6457009" "6498921" "6510406" "6539377" "6578022" "6601055").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/24 14:48

		Results
10.	((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and e-commerce [All Sources(- All Sciences -)]	4
9.	((((((((((((((((((((((((((((((((((((((6
8.	(((((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice)) and (user or author)) and (link or edge)) and knowledge base) and (question or inquir! or request!)) and node [All Sources(- All Sciences -)]	118
7.	((((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice)) and (user or author)) and (link or edge)) and knowledge base) and (question or inquir! or request!) [All Sources(- All Sciences -)]	204
6.	(((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice)) and (user or author)) and (link or edge)) and knowledge base [All Sources(- All Sciences -)]	241
5.	((((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice)) and (user or author)) and (link or edge) [All Sources(- All Sciences -)]	500
4.	(((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice)) and (user or author) [All Sources(- All Sciences -)]	927
3.	((pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule) and (recommendation or feedback or advice) [All Sources(- All Sciences -)]	988
2.	(pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree)) and rule [All Sources(- All Sciences -)]	2472
1.	pub-date > 1959 and pub-date < 2001 and FULL-TEXT(decision graph or decision tree) [All Sources(- All Sciences -)]	4563

Copyright © 2005 <u>Elsevier B.V.</u> All rights reserved. ScienceDirect \circledast is a registered trademark of Elsevier B.V.

CiteSeer Find: decision tree and rule and recommi

Documents

Citations

Searching for decision tree and rule and recommendation.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

8 documents found. Order: number of citations.

Text Categorization with Support Vector Machines: Learning with.. - Joachims (1998) (Correct) (313 citations) neighbor classifier [5]10]and the C4.5 decision tree/rule learner [6]SVM training is carried out classifier [5]10]and the C4.5 decision tree/rule learner [6]SVM training is carried out with the and to avoid "overfitting" Following the recommendation of [11] the information gain criterion will www-ai.cs.uni-dortmund.de/DOKUMENTE/Joachims_98a.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

Use of Decision-Tree Induction for Process Optimization and.. - Famili (1994) (Correct) (3 citations) Use of **Decision-Tree** Induction .45 Paper submitted to AIEDAM ai.iit.nrc.ca/pub/ksl-papers/NRC-35070.ps.Z

Investment Decision Making Using FGP: A Case Study - Li, Tsang (1999) (Correct) (2 citations) the power of genetic programming to generate decision trees through combination of technical rules with decision trees through combination of technical rules with self-adjusted thresholds. In earlier papers, The basic elements of GDTs are conditions and recommendations. A single condition comprises one financial ftp.essex.ac.uk/pub/csp/LiTsa-C45-Cec99.ps

Clinical Decision-Support Systems in Radiation Therapy - Jain, Kahn (1993) (Correct) 72)The decision problem is structured as a decision tree starting with the available options (see most common representation techniques is IF-THEN rules, hence the term rule-based expert systems. Figure applications concentrate on diagnosis, therapy recommendation, and critiquing management plans. Researchers www.cs.wustl.edu/cs/techreports/1993/wucs-93-14.ps.Z

A Comparison of Three Different Methods for Acquiring Knowledge.. - Berka (1993) (Correct) multiple concept learning. The system induces decision tree but allows to transform it into rules either difference in the results of testing of acquired rules done for each subdomain separately. Testing in ftp.ai.univie.ac.at/papers/oefai-tr-93-10.ps.Z

Use of Functional Knowledge Representation in Al Applications.. - Michael Lucks (Correct) (ODEs)Previous systems [1]3] used decision trees and rule-based systems respectively to make Previous systems [1]3] used decision trees and rule-based systems respectively to make software based systems respectively to make software recommendations. SAIVS encodes knowledge in a continuous, cygnus.math.smu.edu/pub/gladwell/aaai.ps.gz

Frank Pipitone Kenneth DeJong William Spears Navy Center for.. - On Dc (1991) (Correct) the approach of directly writing a test decision tree. This corresponds to the conventional capturing his/her knowledge in a set of associative rules. Rather, technicians depend heavily on the probabilities and the use of entropy for test recommendation. However, this approach requires a strong UUT www.aic.nrl.navy.mil/papers/1991/AIC-91-036.ps.Z

Algorithm of Nested Clustering for Unsupervised Learning - Albus, Lacaze, Meystel (Correct) of rules of execution, instead of developing a decision tree for classification task [16]When Quinlan from Drexel University, Philadelphia, PA 19104 II. Rule as a Representation of Goal-oriented Experiences classified. In this paper we are looking for a recommendation about a behavior that should be applied in www.isd.cme.nist.gov/documents/albus/nested-clustering-95.ps

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



CiteSeer Find: decision tree and rule and feedback

Documents

Citations

Searching for decision tree and rule and feedback and user.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

5 documents found. Order: number of citations.

Smokey: Automatic Recognition of Hostile Messages - Spertus (1997) (Correct) (9 citations) set of 720 messages was used by Quinlan's C4.5 decision-tree generator to determine featurebased rules decision-tree generator to determine featurebased rules that were able to correctly categorize 64% of specifically, comments that are sent via feedback forms on World-Wide Web pages. In order to have www.ai.mit.edu/people/ellens/smokey.ps

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

Programming by Demonstration: An Inductive Learning Formulation - Lau, Weld (1999) (Correct) (3 citations) state machine (FSM) modeling note syntax and decision tree classifiers for each FSM state. Maes and interactively. It uses a set of condition-action rules to determine when to infer constraints over use nearest-neighbor learning (adjusted by user feedback) to predict the user's next action from the ftp.cs.washington.edu/pub/ai/pbd-iui99.ps.Z

Evolving an Intelligent Vehicle for Tactical Reasoning in .. - Sukthankar, Baluja. (1997) (Correct) (2 citations) designed, is implemented as a monolithic decision tree. An example rule is: Initiate a left lane SHIVA, this paper is only concerned with two types: rule-based reasoning (MonoSAPIENT [13]and a modular, be configured without individual module feedback. 1. Introduction The task of driving can be www.cs.cmu.edu/~rahuls/Research/icra97.ps.gz

Knowledge Discovery in Databases - Wüthrich (1994) (Correct) Rule Languages 15 2.1 Propositional Rules and Decision Trees: :9 List Of Figures 2 2 Rule Languages 15 2.1 Propositional Rules And Decision piggy.cs.nthu.edu.tw/paper/Mobile/./PS/knowledge_in_database.ps.gz

Instance-Based Learning: Nearest Neighbour with Generalisation - Martin (1995) (Correct) 25 2.5.1 Small disjuncts in decision trees while often an advantage, can over-represent small rules at the expense of more general concepts, leading www.cs.waikato.ac.nz/ml/publications/1995/Martin95-Thesis.ps.gz

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeer Find: decision graph and rule Documents Citations

Searching for decision graph and rule.

Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)

Yahoo! MSN CSB DBLP

10 documents found. Order: number of citations.

Behavior-Based Control: Examples from Navigation, Learning, and.. - Mataric (1997) (Correct) (40 citations) system of an agent can be precompiled as a **decision graph** into a collection of reactive **rules** (a lookup, whether it be in a table, a set of reactive **rules**, a simple circuit, a vector field, or a as a **decision graph** into a collection of reactive **rules** (a universal plan"Schoppers 1987)While ftp.usc.edu/pub/nn_robotics/papers/autonomous.robots/97/jetai-arch.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try Google (CiteSeer).

Simplifying Decision Trees: A Survey - Breslow, Aha (1996) (Correct) (12 citations) them into another data structure, such as a **decision graph** or a set of **rules**. Our own interest in structure, such as a **decision graph** or a set of **rules**. Our own interest in decision tree simplification Each path from the root to a leaf represents a **rule** for inferring class membership. For instance, from www.aic.nrl.navy.mil/papers/1996/AIC-96-014.ps.Z

A Logically Complete Reasoning Maintenance System Based on a.. - Madre, Coudert (1991) (Correct) (8 citations) from the remarkable properties of the typed **decision graph** canonical representation of propositional and can thus be eliminated. The elimination **rule** is very simple: a vertex is useless if and only if ftp.digital.com/pub/DEC/PRL/research-articles/MAD1.ps.Z

Predicting Nearly as Well as the Best Pruning of a Planar...- Takimoto, Warmuth (2000) (Correct) (5 citations) Nearly as Well as the Best Pruning of a Planar **Decision Graph** Eiji Takimoto 1 Graduate School of with 0.6 in T have the same (local) decision **rule**. The decision dag G has four 3 Takimoto, Maruoka www.cse.ucsc.edu/~manfred/pubs/planecut.journalsubm.ps

Inferring Reduced Ordered Decision Graphs of Minimal Description .. - Oliveira (1995) (Correct) (5 citations) Inferring Reduced Ordered **Decision Graphs** of Minimal Description Length Arlindo L. approach for the induction of classification **rules**. However, although decision trees can, in address the problem of inferring a classification **rule** given a set of objects, the training set. Each www-cad.eecs.berkeley.edu/~aml/publications/ml94 wk.ps.gz

Inferring Reduced Ordered Decision Graphs of Minimum .. - Oliveira.. (1995) (Correct) (5 citations) Inferring Reduced Ordered **Decision Graphs** of Minimum Description Length Arlindo L. approach for the inference of classification **rules** [Breiman et al.1984, Quinlan, 1986]The address the problem of inferring a classification **rule** from a labeled set of instances, the training set. tahoe.inesc.pt/~aml/publications/ml95_def.ps.gz

Inductive Learning by Selection of Minimal Complexity.. - de Oliveira (1994) (Correct) (1 citation) gate networks, multilevel Boolean networks, decision graphs and finite state machines. Heuristic the problem of inferring accurate classification rules from examples. A formalization of Occam's razor, the problem of selecting the minimal complexity rule that fits well the available data. Four different www-cad.eecs.berkeley.edu/~aml/publications/report.ps.gz

Structured and Unstructured Induction with EDAGs - Gaines (1995) (Correct) (1 citation)
Kohavi (1994) have shown how various forms of decision graphs may be induced and provide a more compact are knowledge structures that subsume trees and rules but can be substantially more compact. Manually for knowledge discovery is that the trees or rules induced are not meaningful as "knowledge" ksi.cpsc.ucalgary.ca/KSI/ps/EDAG95.ps.Z


Functional Fixedness in the Design of Software Artifacts - Larry Latour (Correct) characteristics to properly construct our "decision graph" As we keep repeating, there is no Email: E.M.Dusink@twi.tudelft.nl Abstract A common rule of thumb to make components reusable is to "make is similar to that used by Ted Biggerstaff in his "rule of 3s"That is, we take advantage of prior

gandalf.umcs.maine.edu/pub/WISR/wisr7/proceedings/ps/latour.ps

Comprehensible Exploratory Induction With Decision Graphs - Corruble, Thiré, GANASCIA (Correct) Comprehensible exploratory induction with decision graphs Vincent CORRUBLE, Frdric THIR (PASTEUR) which naturally induces structured rules. The advantages over other hypothesis languages 1993,94]In that respect, the induction of rule bases has shown a great potential in different www.lri.fr/~cn/wshp-ijcai/web-ijcai/vincent.ps

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP

CiteSeer.IST - Copyright Penn State and NEC



	pdf(128.88 KB) full citation, abstract, index terms	
9	Machine aided error-correction environment for Korean morphological analysis and part-of-speech tagging Junsik Park, Jung-Goo Kang, Wook Hur, Key-Sun Choi Proceedings of the 36th annual meeting on Association for Computational Linguistics - Volume 2, Proceedings of the 17th international conference on Computational linguistics - Volume 2	,
	Full text available: Publisher Additional Information: full citation, abstract, references Site	
10	A spreadsheet interface for logic programming M. Spenke, C. Beilken March 1989 ACM SIGCHI Bulletin , Proceedings of the SIGCHI conference on Human factors in computing systems: Wings for the mind, Volume 20 Issue SI Full text available: pdf(594.47 KB) Additional Information: full citation, abstract, references, citings, index terms	
11	Abstract interaction tools: a language for user interface management systems Jan Van Den Bos April 1988 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 10 Issue 2	
	Full text available: pdf(2.45 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
12	A visual calendar for scheduling group meetings David Beard, Murugappan Palaniappan, Alan Humm, David Banks, Anil Nair, Yen-Ping Shan September 1990 Proceedings of the 1990 ACM conference on Computer-supported cooperative work	
	Full text available: pdf(1,09 MB) Additional Information: full citation, abstract, references, citings, index terms	
13	Text generation: Bilingual generation of job descriptions from quasi-conceptual forms David E. Caldwell, Tatiana Korelsky October 1994 Proceedings of the fourth conference on Applied natural language processing Full text available: Additional Information: full citation, abstract, references, citings Publisher Site	
14	Interactive proof checking Thomas Reps, Bowen Alpern January 1984 Proceedings of the 11th ACM SIGACT-SIGPLAN symposium on Principles of programming languages Full text available: pdf(838.65 KB) Additional Information: full citation, abstract, references, citings, index terms	
15	Development of a modern OPAC: from REVTOLC to MARIAN Edward A. Fox, Robert K. France, Eskinder Sahle, Amjad Daoud, Ben E. Cline Proceedings of the 16th annual international ACM SIGIR conference on Research and development in information retrieval Full text available: pdf(1.17 MB) Additional Information: full citation, abstract, references, citings, index terms, review	
	SIDS (A Symbolic Interactive Design System) D. Clary, R. Kirk, S. Sapiro Proceedings of the 17th conference on Design automation	
	Full text available: pdf(371,80 KB) Additional Information: full citation, abstract, references, citings, index terms	
Re	sults 1 - 16 of 16	
	The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc. <u>Terms of Usage</u> <u>Privacy Policy</u> <u>Code of Ethics</u> <u>Contact Us</u>	
	Useful downloads: Adobe Acrobat QuickTime Windows Media Player	

